



98 GPU & 88 FPU

CORPS : ACIER ou FONTE**BANDAGE** : POLYURETHANE Coulé - Dureté 95+/-3 Shore A**ALESAGE**  BILLES Série 983 : GPUB et Série 883 : FPUB*

* Pour recevoir vos roues équipées de roulements à billes (RAB), nous préciser le diamètre alésage après la référence. Ex : 983-00/15

**TYPE DE ROULEMENT****ALESAGE****REF.**



70 x 70	10 ou 15	35 x 11	6300 / 6202		500	983-00
70 x 100	20 ou 25	47 x 16	6204 / 6005		650	983-01
75 x 40	20 ou 25	47 x 14	6204 / 6005		250	983-02
75 x 62	20 ou 25	47 x 14,2	6204 / 6005		470	983-03
75 x 75	20 ou 25	47 x 14	6204 / 6005		570	983-04
75 x 76	17	40 x 14	6203		600	983-05
75 x 95	20 ou 25	47 x 14	6204 / 6005		720	983-06
78 x 78	20 ou 25	47 x 16	6204 / 6005		750	983-07
80 x 40	20 ou 25	47 x 14	6204 / 6005		400	983-56
80 x 50	20 ou 25	47 x 14	6204 / 6005		460	983-08
80 x 54	20 ou 25	47 x 12	6204ZV / 6005		500	983-09
80 x 54	20 ou 25	47 x 14	6204 / 6005		500	983-10
80 x 60	20 ou 25	47 x 14	6204 / 6005		550	983-55
80 x 70	20 ou 25	47 x 14	6204 / 6005		700	983-11
80 x 70	20 ou 25	47 x 17,5	6204 / 6005		700	983-12
80 x 80	20 ou 25	47 x 14	6204 / 6005		800	983-13
80 x 90	20 ou 25	47 x 14	6204 / 6005		900	983-14
82 x 51	20 ou 25	52 x 15	6304 / 6205		500	983-15
82 x 51	20 ou 25	52 x 22	6304 / 6205		500	983-16
82 x 58	20 ou 25	47 x 24	6204 / 6005		580	983-17
82 x 60	20 ou 25	47 x 16	6204 / 6005		600	983-18
82 x 65	20 ou 25	47 x 15	6204 / 6005		650	983-53
82 x 68	20 ou 25	47 x 24	6204 / 6005		700	983-19
82 x 70	20 ou 25	47 x 12	6204ZV / 6005		700	983-20
82 x 70	20 ou 25	47 x 16	6204 / 6005		700	983-21
82 x 75	15 ou 20	42 x 24	6302 / 6004		750	983-22
82 x 75	20 ou 25	47 x 14	6204 / 6005		750	983-23
82 x 78	20 ou 25	47 x 14	6204 / 6005		780	983-24
82 x 78	20 ou 25	47 x 16	6204 / 6005		780	983-25
82 x 78	20 ou 25	52 x 18	6304/6205		780	983-26
82 x 89	20 ou 25	47 x 24	6204 / 6005		900	983-27
82 x 90	20 ou 25	47 x 14	6204 / 6005		900	983-28

98 GPU & 88 FPU

CORPS : ACIER ou FONTE
BANDAGE : POLYURETHANE Coulé - Dureté 95+/-3 Shore A

ALESAGE  BILLES Série 983 : GPUB et Série 883 : FPUB*

* Pour recevoir vos roues équipées de roulements à billes (RAB), nous préciser le diamètre alésage après la référence. Ex : 983-00/15



TYPE DE ROULEMENT

ALESAGE



REF.



82 x 100	20 ou 25	47 x 12	6204ZV / 6005		1000	983-29
82 x 100	20 ou 25	47 x 14	6204 / 6005		1000	983-30
82 x 100	20 ou 25	47 x 16	6204 / 6005		1000	983-31
85 x 40	20 ou 25	47 x 14	6204 / 6005		400	983-32
85 x 54	20 ou 25	47 x 12	6204ZV / 6005		550	983-33
85 x 60	20 ou 25	47 x 16	6204 / 6005		600	983-34
85 x 62	20 ou 25	47 x 14,2	6204 / 6005		610	983-35
85 x 70	20 ou 25	47 x 14	6204 / 6005		700	983-36
85 x 70	17 ou 20	47 x 17,5	6303 / 6204		700	983-37
85 x 75	20	42 x 24	6004		750	983-38
85 x 75	20 ou 25	47 x 14	6204 / 6005		750	983-39
85 x 75	20 ou 25	47 x 32	6204 / 6005		750	983-40
85 x 78	20 ou 25	47 x 14	6204 / 6005		780	983-41
85 x 78	20 ou 25	52 x 18	6304 / 6205		780	983-42
85 x 80	20 ou 25	47 x 14	6204 / 6005		800	983-43
85 x 90	20 ou 25	47 x 14	6204 / 6005		900	983-44
85 x 90	20 ou 25	47 x 17,5	6204 / 6005		900	983-45
85 x 95	20 ou 25	47 x 14	6204 / 6005		950	983-46
85 x 95	25	47 x 32	F29368		950	983-47
85 x 100	20 ou 25	47 x 17,5	6204 / 6005		1000	983-49
85 x 110	17 ou 25	47 x 17,5	6303 / 6005		1050	983-50
85 x 110	20 ou 25	47 x 32	6204 / F29368		1050	983-51
100 x 40	25	52 x 15	6205		300	883-06
100 x 50	20 ou 25	47 x 17	6204 / 6005		450	883-07
110 x 50	20 ou 25	47 x 16	6204 / 6005		350	883-08
120 x 50	25	52 x 15	6205		500	883-09
120 x 50	20 ou 25	47 x 16	6204 / 6005		500	883-10

37 NPUI

CORPS : POLYAMIDE**BANDAGE** : POLYURETHANE Injecté - Dureté 53+/-3 Shore D**ALESAGE**  BILLES Série 373 : NPUIB*

* Pour recevoir vos roues équipées de roulements à billes (RAB), nous préciser le diamètre alésage après la référence. Ex : 373-21/15






			TYPE DE ROULEMENT	ALESAGE		REF.
82 x 70	20 ou 25	47 x 16	6204 / 6005		500	373-21
82 x 100	20 ou 25	47 x 16	6204 / 6005		850	373-22
85 x 90	20 ou 25	47 x 14	6204 / 6005		750	373-23
85 x 90	20 ou 25	47 x 16	6204 / 6005		750	373-24

ALESAGE  LISSE Série 300 : PAL

 BILLES Série 303 : PAB*

* Pour recevoir vos roues équipées de roulements à billes (RAB), nous préciser le diamètre alésage après la référence. Ex : 300-20/15


TYPE DE ROULEMENT
ALESAGE

REF.

39 x 46	17	-	-		200	300-20
50 x 32	14	-	-		120	300-21
75 x 66	20 ou 25	47 x 14,9	6204 / 6005		600	303-20
80 x 54	20 ou 25	47 x 14	6204 / 6005		400	303-21
80 x 59	20 ou 25	47 x 16	6204 / 6005		600	303-22
82 x 60	20 ou 25	47 x 16	6204 / 6005		600	303-23
82 x 70	20 ou 25	47 x 16	6204 / 6005		700	303-24
82 x 70	20 ou 25	47 x 12	6204ZV / 6005		700	303-25
82 x 98	20 ou 25	47 x 14	6204 / 6005		1000	303-26
82 x 100	20 ou 25	47 x 16	6204 / 6005		1000	303-27
82 x 100	20 ou 25	47 x 12	6204ZV / 6005		1000	303-28
85 x 60	20 ou 25	47 x 12	6204ZV / 6005		600	303-29
85 x 70	20 ou 25	47 x 14	6204 / 6005		700	303-30
85 x 85	20 ou 25	47 x 14	6204 / 6005		800	303-33
85 x 90	20 ou 25	47 x 14	6204 / 6005		900	303-31
85 x 100	20 ou 25	47 x 14	6204 / 6005		1000	303-32