

Avec roue 11 NS

CORPS : NYLON

BANDAGE : CAOUTCHOUC SANTOPRENE Gris

MONTURE : Tôle d'acier emboutie zingage blanc.




Pivotement sur 2 couronnes de billes. Pivot serti. Frein avant double action (roue et pivotement).

ALESAGE

 LISSE Série 110 : NSL

 ROULEAUX Série 111 : NSR


 BILLES Série 113 : NSB
avec pare-fils



ALESAGE



80 x 24	60 x 60 - 46 x 46	6	106	25		60	110080.118	110080.128	110080.138
100 x 32	100 x 85 - 80 x 60	8	126	37		100	113100.311	113100.321	113100.331
125 x 32	100 x 85 - 80 x 60	8	157	37		120	113125.311	113125.321	113125.331
160 x 40	136 x 113 - 105 x 80	10	197	52		150	111160.314	111160.324	111160.334
200 x 50	136 x 113 - 105 x 80	10	240	52		200	111200.314	111200.324	111200.334



ALESAGE



80 x 24	10	103	25		60	110080.158	110080.168
100 x 32	12	126	37		100	113100.351	113100.361
125 x 32	12	157	37		120	113125.351	113125.361

Avec roue 12 NC

CORPS : THERMOPLASTIQUE haute résistance**BANDAGE** : CAOUTCHOUC Noir semi-élastique - Dureté 85+/-5 Shore A**MONTURE** : Tôle d'acier emboutie zingage blanc ou bichromaté. Pivotement sur 2 couronnes de billes. Pivot serti. Frein avant double action (roue et pivotement).**ALESAGE**

LISSE Série 120 : NCL



ROULEAUX Série 121 : NCR



							ALESAGE				
80 x 25		100 x 85 - 80 x 60	8	106	33		50	120080.311	120080.321	120080.331	
80 x 25		100 x 85 - 80 x 60	8	106	33		50	121080.311	121080.321	121080.331	
100 x 30		100 x 85 - 80 x 60	8	128	35		75	121100C311	121100C321	121100C331	
125 x 37		100 x 85 - 80 x 60	8	151	36		125	121125C311	121125C321	121125C331	
125 x 37		135 x 110 - 105 x 80	10	160	49		125	121125.313	121125.323	121125.333	
160 x 40		135 x 110 - 105 x 80	10	190	52		170	121160X314	121160X324	121160X334	
200 x 50		135 x 110 - 105 x 80	10	235	52		220	121200X314	121200X324	121200X334	



					ALESAGE			
80 x 25	12	106	33		50	120080.351	120080.361	
80 x 25	12	106	33		50	121080.351	121080.361	
100 x 30	12	128	35		75	121100C351	121100C361	
125 x 37	12	151	36		125	121125C351	121125C361	

Autres diamètres sur demande

Avec roue 13 NCG

CORPS : THERMOPLASTIQUE Haute Résistance

BANDAGE : CAOUTCHOUC Gris non tachant - Dureté 75+/-5 Shore A



MONTURE : Tôle d'acier emboutie zingage blanc ou bichromaté.

Pivotement sur 2 couronnes de billes. Pivot serti. Frein avant double action (roue et pivotement).

ALESAGE

□ LISSE Série 130 : NCGL


▨ ROULEAUX Série 131 : NCGR



ALESAGE



80 x 25	100 x 85 - 80 x 60	8	106	33	□	55	130080.311	130080.321	130080.331
80 x 25	100 x 85 - 80 x 60	8	106	33	▨	55	131080.311	131080.321	131080.331
100 x 30	100 x 85 - 80 x 60	8	128	35	□	85	130100.311	130100.321	130100.331
100 x 30	100 x 85 - 80 x 60	8	128	35	▨	85	131100.311	131100.321	131100.331
125 x 37	100 x 85 - 80 x 60	8	154	40	□	110	130125.311	130125.321	130125.331
125 x 37	100 x 85 - 80 x 60	8	154	40	▨	110	131125.311	131125.321	131125.331
125 x 37	135 x 110 - 105 x 80	10	160	49	□	110	130125.313	130125.323	130125.333
125 x 37	135 x 110 - 105 x 80	10	160	49	▨	110	131125.313	131125.323	131125.333
150 x 40	135 x 110 - 105 x 80	10	181	51	□	150	130150.313	130150.323	130150.333
150 x 40	135 x 110 - 105 x 80	10	181	51	▨	150	131150.313	131150.323	131150.333
200 x 50	135 x 110 - 105 x 80	10	240	59	□	230	130200.314	130200.324	130200.334
200 x 50	135 x 110 - 105 x 80	10	240	59	▨	230	131200.314	131200.324	131200.334



ALESAGE



80 x 25	12	106	33	□	55	130080.351	130080.361
80 x 25	12	106	33	▨	55	131080.351	131080.361
100 x 30	12	128	35	□	85	130100.351	130100.361
100 x 30	12	128	35	▨	85	131100.351	131100.361
125 x 37	12	154	40	□	125	130125.351	130125.361
125 x 37	12	154	40	▨	125	131125.351	131125.361
150 x 40	12	181	51	□	150	130150.353	130150.363
150 x 40	12	181	51	▨	150	131150.353	131150.363
200 x 50	12	240	59	□	230	130200.354	130200.364
200 x 50	12	240	59	▨	230	131200.354	131200.364



Avec roue 62 TC

CORPS : Flasque TOLE d'acier zingué**BANDAGE** : CAOUTCHOUC noir semi-élastique - Dureté 85+/-5 Shore A**MONTURE** : Tôle d'acier emboutie zingage blanc ou bichromaté. Pivotement sur 2 couronnes de billes. Pivot serti. Frein avant double action (roue et pivotement).**ALESAGE**  ROULEAUX Série 621 & 628 : TCR

 x 	 	 			ALESAGE				
75 x 25	83 x 72 - 62 x 50	8	97	32		50	628075C311	628075C321	628075C331
80 x 25	100 x 85 - 80 x 60	8	108	33		60	628080C311	628080C321	628080C331
100 x 30	100 x 85 - 80 x 60	8	128	37		80	628100C311	628100C321	628100C331
125 x 37	100 x 85 - 80 x 60	8	151	36		125	628125C311	628125C321	628125C331
125 x 37	135 x 110 - 105 x 80	10	160	49		130	621125L313	621125L323	621125L333
160 x 40	135 x 110 - 105 x 80	10	190	52		180	628160X314	628160X324	628160X334
200 x 50	135 x 110 - 105 x 80	10	235	52		230	628200X314	628200X324	628200X334
250 x 48	175 x 140 - 135 x 100	11	285	70		250	621250.315	621250.325	



 x 				ALESAGE			
75 x 25	10	97	32		50	628075C351	628075C361
80 x 25	12	106	33		60	621080.351	621080.361
100 x 30	12	128	37		80	628100C351	628100C361
125 x 37	12	157	48		125	621125.352	621125.362

Autres diamètres sur demande